

# Encore® Deck and Wall Mount Pot Fillers with Swivel Hose, Hooked Spray Valve and Wall Hook

Available with or without Vacuum Breaker

- Built in check valves
- 72" (1829mm) long stainless steel flexible hose
- Plastic coated wall hook with chrome plated base
- 1/2" NPT female inlets



Shown:  
KN53-3000-VB

## Deck Mount Base Pot Filler

Model	Valves
<i>With Vacuum Breaker</i>	
KN73-3100-VB	Ceramic
KN73-3000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN73-3100	Ceramic
KN73-3000	Compression

Furnished with 1/4" NPT union tailpiece and mounting hardware. Note: Check valve not supplied with this model. Temperature mixing valve available pg. 112



## Wall Mount Base Pot Filler

Model	Valves
<i>With Vacuum Breaker</i>	
KN71-3100-VB	Ceramic
KN71-3000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN71-3100	Ceramic
KN71-3000	Compression

Furnished with mounting hardware. Note: Check valve not supplied with this model



## Single Pantry Deck Mount Pot Filler

Model	Valves
<i>With Vacuum Breaker</i>	
KN63-3100-VB	Ceramic
KN63-3000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN63-3100	Ceramic
KN63-3000	Compression

Furnished with 1/4" NPT union tailpieces & mounting hardware



## Single Wall Mount Pot Filler

Model	Valves
<i>With Vacuum Breaker</i>	
KN69-3100-VB	Ceramic
KN69-3000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN69-3100	Ceramic
KN69-3000	Compression

Furnished with mounting hardware



## Double Pantry Deck Mount Pot Filler

Model	Valves
<i>With Vacuum Breaker</i>	
KN50-3100-VB	Ceramic
KN50-3000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN50-3100	Ceramic
KN50-3000	Compression

Furnished with 1/4" NPT union tailpieces & mounting hardware



## Wall Mount 8" (203mm) Adj. Centers Pot Filler

Model	Valves
<i>With Vacuum Breaker</i>	
KN53-3100-VB	Ceramic
KN53-3000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN53-3100	Ceramic
KN53-3000	Compression

Furnished with mounting hardware



## Deck Mount 4" (102mm) Adj. Centers Pot Filler

Model	Valves
<i>With Vacuum Breaker</i>	
KN56-3100-VB	Ceramic
KN56-3000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN56-3100	Ceramic
KN56-3000	Compression

Furnished with 1/2" nipples mounting hardware



## Deck Mount 8" (203mm) Adj. Centers Pot Filler

Model	Valves
<i>With Vacuum Breaker</i>	
KN60-3100-VB	Ceramic
KN60-3000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN60-3100	Ceramic
KN60-3000	Compression

Furnished with 1/2" nipples and mounting hardware



All models shown with recommended vacuum breaker  
Temperature mixing valve available - see pre-rinse accessories section for additional options

**FOR LOW LEAD COMPLIANT MODELS CHANGE SERIES FROM "KN" TO "KL"**



# Encore® Deck and Wall Mount Utility Sprays with Swivel Hose, Angled Spray Valve and Wall Hook

Available with or without Vacuum Breaker



Shown:  
KN53-2000-VB

**KN50-Y025**  
90° SWIVEL ELBOW for use without vacuum breaker hose assembly in utility spray and pot filler applications.

- Built in check valves
- 72" (1829mm) long stainless steel flexible hose
- Plastic coated wall hook with chrome plated base
- 1/2" NPT female inlets

Deck Mount Pot Filler	
Model	Valves
<i>With Vacuum Breaker</i>	
KN73-2100-VB	Ceramic
KN73-2000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN73-2100	Ceramic
KN73-2000	Compression

Furnished with 1/4" NPT union tailpiece and mounting hardware. Note: Check valve not supplied with this model. Temperature mixing valve available pg. 112

Wall Mount Base Utility Spray	
Model	Valves
<i>With Vacuum Breaker</i>	
KN71-2100-VB	Ceramic
KN71-2000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN71-2100	Ceramic
KN71-2000	Compression

Furnished with mounting hardware. Note: Check valve not supplied with this model

Single Pantry Deck Mount Utility Spray	
Model	Valves
<i>With Vacuum Breaker</i>	
KN63-2100-VB	Ceramic
KN63-2000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN63-2100	Ceramic
KN63-2000	Compression

Furnished with 1/4" NPT union tailpieces and mounting hardware

Single Wall Mount Utility Spray	
Model	Valves
<i>With Vacuum Breaker</i>	
KN69-2100-VB	Ceramic
KN69-2000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN69-2100	Ceramic
KN69-2000	Compression

Furnished with mounting hardware

Double Pantry Deck Mount Utility Spray	
Model	Valves
<i>With Vacuum Breaker</i>	
KN50-2100-VB	Ceramic
KN50-2000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN50-2100	Ceramic
KN50-2000	Compression

Furnished with 1/4" NPT union tailpieces and mounting hardware

Wall Mount 8" (203mm) Adj. Centers Utility Spray	
Model	Valves
<i>With Vacuum Breaker</i>	
KN53-2100-VB	Ceramic
KN53-2000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN53-2100	Ceramic
KN53-2000	Compression

Deck Mount 4" (102mm) Adj. Centers Utility Spray	
Model	Valves
<i>With Vacuum Breaker</i>	
KN56-2100-VB	Ceramic
KN56-2000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN56-2100	Ceramic
KN56-2000	Compression

Furnished with 1/2" nipples mounting hardware

Deck Mount 8" (203mm) Adj. Centers Utility Spray	
Model	Valves
<i>With Vacuum Breaker</i>	
KN60-2100-VB	Ceramic
KN60-2000-VB	Compression
<i>Without Vacuum Breaker</i>	
KN60-2100	Ceramic
KN60-2000	Compression

Furnished with 1/2" nipples and mounting hardware

All models shown with recommended vacuum breaker  
 Temperature mixing valve available - see pre-rinse accessories section for additional options  
 1-1/8" (29mm) hole for deck and backsplash is recommended to accommodate 1/2" supply nipples and 1-1/4" (32mm) hole for double pantry

**FOR LOW LEAD COMPLIANT MODELS CHANGE SERIES FROM "KN" TO "KL"**

# K34 Series 3/4" (19mm) IPS Heavy-Duty High Volume Pre-Rinse



Shown:  
K34-1012-BR



## Encore® Quik-Fil™ 3/4" (19mm) IPS Wall Mount Pre-Rinse Combination

### Model

With 10" (254mm) Spout and Wall Bracket-as Shown

K34-1010-BR

With 12" (305mm) Spout and Wall Bracket

K34-1012-BR

With 18" (457mm) Spout and Wall Bracket

K34-1018-BR

## Encore® Add-On Faucet Body For Quik-Fil™ 3/4" (19mm) Faucet Only



Model No. KN35-Y001

## Encore® 12" (305mm) Add-On Faucet Spout For Quik-Fil™ 3/4" (19mm) Faucet Only



Model No. KN34-Y012

10" (254mm) and  
18" (457mm) Spouts  
Also Available

## Heavy-Duty 3/4" (19mm) IPS Mounting Ells



Model No. KN40-3400

- Sold as pairs
- Solid brass ell's supplied with washer and nuts
- Specifically designed to fit within commercial sink backsplash
- Provides quick and easy installation

- The only heavy-duty commercial high volume backsplash faucet and Pre-Rinse combination available. Delivers high volume for quick filling of commercial Pot Washing sinks with the added feature of a Pre-Rinse Spray combination
- 3/4" IPS connection provides for full volume water capacity
- Extra large diameter spouts offer unrestricted water flow and fast filling feature
- Convenient and easy to use four post star handles provided as standard
- Special heavy-duty spray assembly with patented strain relief bushings offer trouble-free service in abusive commercial environments
- Each Pre-Rinse provided with in-line vacuum breaker which prevents backflow siphoning
- Ideal for power pot washing sinks

All models shown include optional wall bracket #K50-Y020



**Wall Hook**

**Model** K50-Y012

Permits spray valves to be conveniently hung in place when not in use. Furnished with chrome plated base and coated hook.



**Wall Bracket**

**Model** K50-Y020

Assembly includes 12" (305mm) nipple which may be cut to permit adjustments between 2" and 12" (51mm and 305mm). New patented compression fitting allows fast, positive connection.



**Heavy Duty Swivel Arm Support**

**Model** K50-Y500

Easily mounts to riser pipe and swivel arm. Allows full swing while providing additional support when Pre-Rinse is exposed to severe field use.



**45° Supply Inlet**

**Model** K50-Y047

Male inlet for use with 45° mounting surface. 1/2" male IPS.



**Spray Valve Kits**

**Model**

*Low Flow (1.2) GPM @ 60PSI Pre-Rinse Kit*

KN50-0220-12

Pre-Rinse Spray Assembly complete with grip and adapters to fit other manufacturer's hoses.

*Universal Pre-Rinse Replacement Kit*

KN50-0220

Pre-Rinse Spray Assembly complete with grip and adapters to fit other manufacturer's hoses.

*Select-A-Spray Pre-Rinse Kit*

KN50-0210

Pre-Rinse Spray Assembly complete with grip and adapters to fit other manufacturer's hoses.



**Wall Faucet Mounting Kit**

**Model** KN40-1000


Kit has been designed for simple installation of wall faucets within the standard backsplash space. Contains two each of 1/2" NPS nipples, 1/2" NPT x 1/2" sweat ells, washers and locknuts. Low lead version available. Use model **KL40-1000**.



**Deck Faucet Mounting Kit**

**Model** KN60-Y010

Kit has been designed for simple installation of deck faucets. Contains two each of 1/2" NPS nipples, washers and locknuts.



**Spray Valve Assemblies**

**Model**

*Pre-Rinse Spray Valve Assembly*

**A.** KN50-Y002

*Angled Spray Valve*

**B.** KN50-Y030

*Pot Filler Spray Valve Assembly*

**C.** KN50-Y031

**Select-A-Spray™**

**Model**

*5 Pattern Spray Head*

**D.** KN50-Y102

Includes 5 different spray patterns. Retrofits all makes of pre-rinse.



U.S. PATENT NO.  
5,624,074  
5,722,595

Constructed with a strong, flexible stainless steel outer casing over a nylon reinforced santoprene core, the Encore Pre-Rinse Hose has been especially designed to significantly minimize any incidence of failure. At the point where most other hoses fail, Encore has added a strain relief coil of .125 (3mm) diameter chrome plated wire. This special coil transfers the load stress away from the part of the hose most subject to flexing and distributed it evenly over an extended area, thus adding significantly to the life of the hose.

**Hose Assemblies**

Model w/Grip	Hose Length	Model w/out Grip	Hose Length
KN50-Y004-20	20" (508mm)	KN50-Y010-20	14" (356mm)
KN50-Y004-26	26" (660mm)	KN50-Y010-26	20" (508mm)
KN50-Y004-44	44" (1118mm)	KN50-Y010-44	38" (965mm)
KN50-Y004-60	60" (1524mm)	KN50-Y010-60	54" (1372mm)
KN50-Y004-72	72" (1829mm)	KN50-Y010-72	66" (1676mm)
KN50-Y004-96	96" (2438mm)	KN50-Y010-96	90" (2286mm)

**Model No. KN50-X025 Grip Only**



**44" (1118mm) Hose Assembly w/ Continuous Pressure In-Line Vacuum Breaker**

**Model** K50-Y016-44

For use on Pre-Rinse units where additional backflow prevention is desirable. Prevents the flow of contaminated water into the safe water drinking supply.

Other length available on application. 44" (1118mm) is the standard length on all Encore® pre-rinse units



**Chrome Plated Designer Handles**

**Model** K50-X117 (1 Pair)

Chrome plated acrylic in smart, contemporary design. Smooth, secure grip. May be used on any Encore faucet or pre-rinse unit.



**Cross Handle Replacement Kit**

**Model** K50-0111 (1 Pair)

Chrome plated cross handles are available for all Encore faucets and pre-rinse units. Kit includes two handles, hot and cold indicators and screws.



**Wrist Blade Handles**

Model	Size
K50-0001 (1 Pair)	4" (102mm)
K50-0001-6 (1 Pair)	6" (152mm)

Solid brass chrome plated wrist blades are available for deck and wall mount faucets. Kit includes two blades, hot and cold indicators and screws.

**K11 Series 8" deck faucet utilizes optional Model No. K11-0001 Wrist Blade Handles.**



**Faucet Handle Repair Kit**

**Model** K50-0110 (1 Pair)



Add-On Faucet extends flexibility of pre-rinse assemblies by providing additional swivel spout capability. The only add-on faucet designed specifically to permit full spout swing without interference with riser pipe. Installation is easy, utilizing same water lines and controls as the pre-rinse. Separate valve is used to control spout flow.

**KN55 Series Add-On Faucet w/Swing Spout**

Model	Swing Spout
KN55-7006	6" (152mm)
KN55-7008	8" (203mm)
KN55-7010	10" (254mm)
KN55-7012	12" (305mm)
KN55-7014	14" (356mm)
KN55-7016	16" (406mm)

**Adjustable Supply Inlets**

Choice of inlets permit easy fast installation by providing adjustability of different faucet or pre-rinse centers to match varying installation (piping) centers.



**Supply Inlets**

Model	Eccentric	Total Range 2 (Inlets)
A. KN60-Y004	1/2" (13mm)	1" (25mm)
B. KN60-Y005	1" (25mm)	2" (51mm)
C. KN60-Y006*	None	N/A

\*KN60-Y006 is supplied on all Encore wall mount faucets and pre-rinse units. \*\*Each Inlet also provides an additional plus or minus 1/4" (6mm) compensation to accommodate varying field conditions.



**Encore® Repair Kits-Replacement Valve Assembly**

Model	Valves	Model	Valves	Model	Valves
KN33 Series		KN41 & KN45 Series*		KN55 Series	
A. KN34-Y007	Single	D. KN41-Y006	Cold	F. KN55-Y011	Cold
KN34 Series		KN41-Y007	Hot	KN55-Y010	Hot
B. KN34-Y006	Cold	KN50 Series**			
KN34-Y007	Hot	E. KN50-Y006	Cold		
KN35 Series		KN50-Y007	Hot		
C. KN35-Y007	Add-On				

\*Available with ceramic valves...Add Suffix-CV to part no.  
\*\* Available with ceramic valves...Add Suffix-CCV to part no.



**Replacement Spring-Conventional Chrome Plated**

**Model** K50-X033

Heavy-duty gooseneck spring, heat treated, nickel plated... insures convenient hose position and flexibility.

**Model** K50-X178

Heavy-duty Solid Stainless Steel Gooseneck Spring, heat treated, insures convenient hose position and flexibility.



**Spout Extension**

Model	Spout Length
KN11-X106	6" (152mm)
KN11-X112	12" (305mm)

Adds flexibility to accommodate almost any swivel Spout length requirement. Fits all Encore and Top-Line faucets and accepts all Encore and Top-Line Swivel Spouts.



## Pre-Rinse Replacement Parts



**Pre-Rinse Spray Valve, 3.3 GPM**

**Model** KN50-Y002



**Low Flow Spray Valve, 1.2 GPM**

**Model** KN50-Y002-12



**Angled Spray Valve, 3.3 GPM**

**Model** KN50-Y030



**Pot Filler Spray Valve**

**Model** KN50-Y031



**Retro Fit Spray 3.3 GPM Valve & Grip Fits Other Manufacturers**

**Model** KN50-0220



**Retro fit spray 1.2 GPM Valve & Grip-Fits Other Manufacturers**

**Model** KN50-0220-12



**Retro fit Select-A-Spray™ & Grip Fits Other Manufacturers**

**Model** KN50-0210



**Select-A-Spray™ Valve w/Five Different Settings**

**Model** KN50-Y102



**Top-Line™ Economical Spray Valve**

**Model** K13-Y003



**Wall Bracket**

**Model** K50-Y020



**Chrome Plated Spring**

**Model** K50-X033

**Stainless Steel Spring**

**Model** K50-X178



**Heavy Duty Swivel Arm Support**

**Model** K50-Y500



**Swivel Arm Assembly**

**Model** **Length**

KN50-Y050-12 12" (305mm)

KN50-Y050-18 18" (457mm)



## Pre-Rinse Replacement Parts



**Wall Hook**

**Model** K50-Y012



**Hook-Screw Assembly**

**Model** K50-Y011



**Kool Grip**

**Model** KN50-X025



**44" (1118mm) Hose with Spray and Kool Grip**

**Model** KN50-Y004-44S



**44" (1118mm) Hose w/Continuous Pressure In-Line Vacuum Breaker**

**Model** K50-Y016-44



**QUIK-WASH™ Hand Wash Faucet Control**

**Model** KN91-0100



**44" (1118mm) DD Hose and Spray**

**Model** KN50-Y400-44

**37" (940mm) Stainless Steel flexible DD hose only**

**Model** KN50-Y410-44



**DD Sprayer with Aerator**

**Model** KN50-Y402



**DD Sprayer with Rose Spray**

**Model** KN50-Y403



**Spray Head Repair Kit**

**Model** KN50-0200

**Without Valve** KN50-0300-PS



**Button Valve**

**Model** KN50-Y027

Kit contains all parts to completely replace pre-rinse button valve assembly or knee/foot valve ass'y



**45° Supply Inlet, 1/2" (13mm) IPS**

**Model** K50-Y047



**Pot Filler Outlet Control Valve**

**Model** KPV-X001

\*Attaches to end of spout



**Pre-Rinse Hose without Grip**

Model	Hose Length
KN50-Y010-20	14" (356mm)
KN50-Y010-26	20" (508mm)
KN50-Y010-44	38" (965mm)
KN50-Y010-60	54" (1372mm)
KN50-Y010-72	66" (1676mm)
KN50-Y010-96	90" (2286mm)



**Pre-Rinse Hose with Grip**

Model	Hose Length
KN50-Y004-20	20" (508mm)
KN50-Y004-26	26" (660mm)
KN50-Y004-44	44" (1118mm)
KN50-Y004-60	60" (1524mm)
KN50-Y004-72	72" (1829mm)
KN50-Y004-96	96" (2438mm)



**\*Pre-Rinse Hose Universal Fit w/ Grip**

Model	Hose Length
KN50-Y004-20U	20" (508mm)
KN50-Y004-26U	26" (660mm)
KN50-Y004-44U	44" (1118mm)
KN50-Y004-60U	60" (1524mm)
KN50-Y004-72U	72" (1829mm)
KN50-Y004-96U	96" (2438mm)

\*Replaces all major manufacturer pre-rinse hoses (All models above)



**Encore® Add-On Faucet**

Model	Length
KN55-7006	6" (152mm)
KN55-7008	8" (203mm)
KN55-7010	10" (254mm)
KN55-7012	12" (305mm)
KN55-7014	14" (357mm)
KN55-7016	16" (406mm)



**Deck Mount Kit**

<b>Model</b>	KN60-Y010
--------------	-----------

1/2" NPS nipples, washers & locknuts



**Wall Mount Kit**

<b>Model</b>	KN40-1000
--------------	-----------

1/2" NPS nipples  
1/2" NPT x 1/2" sweat ells



**Wall Mount Kit**

<b>Model</b>	KN40-2020
--------------	-----------

Installation Kit for Back Mount Faucets



**Hot Cartridge Compression With Handle**

<b>Model</b>	KN50-Y007-KT
--------------	--------------

**Cold Cartridge Compression With Handle**

<b>Model</b>	KN50-Y006-KT
--------------	--------------



**Hot Cartridge Ceramic With Handle**

<b>Model</b>	KN50-Y007CVKT
--------------	---------------

**Cold Cartridge Ceramic With Handle**

<b>Model</b>	KN50-Y006CVKT
--------------	---------------



**Hot Cartridge Compression**

<b>Model</b>	KN50-Y007
--------------	-----------

**Cold Cartridge Compression**

<b>Model</b>	KN50-Y006
--------------	-----------



**Hot Cartridge Ceramic**

<b>Model</b>	KN50-Y007-CCV
--------------	---------------

**Cold Cartridge Ceramic**

<b>Model</b>	KN50-Y006-CCV
--------------	---------------